E	A	4	n	0
M	4	性	u	4

(Pages: 3)

Reg. 1	Vo	 	
Momor			

B.Sc. DEGREE (C.B.C.S.S.) EXAMINATION, OCTOBER 2012

Fifth Semester

Core Course-PHYSICAL OPTICS AND PHOTONICS

(Common for Model I and Model II B.Sc. Physics, B.Sc. Physics—EEM and B.Sc. Physics
Instrumentation

Time: Three Hours

Maximum Weight: 25

Part A

Answer all questions.

Objective type questions-weight 1 for each bunch.

BUNGH I

100	William Control of the Control	A WOOD OF		- Carrie			
æ	hoose	the	CHAR	TOPT	n n	COLUM	MO

- When monochromatic light falls on a parallel film the whole film will appear:
 (a) Uniformly dark.
 (b) Uniformly bright.
 - (c) Uniformly dark or bright. (d) Uniformly colored.
- 2. The mathematical form of Brewster's law is:
 - (a) $\mu = \tan_p$ (b) $\mu = \sin \theta_p$.
 - (c) $\mu = \cos\theta_p$ (d) $\mu = \tan \hat{L}$
- 3. Population inversion is possible with:
 - (a) Active medium. (b) Spontaneous emission.
 - (c) Optical pumping. (d) Stimulated emission.
- 4. The refractive index of cladding always:
 - (a) Lower than that of the core. (b) Greater than that of the core.
 - (c) Equal to that of the core. (d) None of these.

BUNCH II

Fill in the blanks:

- A stationary dark band of light is observed at points of interference.
- Nichol prism is made from crystal.
- The refractive index of the fiber changes abruptly at the core cladding boundary.

Turn over

BUNCH III

State true or False:

- A thin wedge of air film can be formed by two glass slides resting on each other at one edge and separated by a thin wire at opposite edge.
- 10. A quarter wave plate is used in producing elliptically polarized light.
- 11. He-Ne laser is a three level gas laser.
- Holography is the recording of diffraction pattern formed between two beams of coherent light coming from the same source,

BUNCH IV

Match the following:

13. (Coherence length	diffraction	Pile of plates
14. I	raunhofer	interference	stimulated emission
15. I	Polarisation	light	wave train
16. 1	aser	Brewster's law	double slit.

 $(4 \times 1 = 4)$

Part B

Answer five questions. Short answer questions-weight 1 each.

- 17. How would you obtain Newton's rings with bright center?
- 18. What is plane diffraction grating?
- 19. How does a zone plate differ from a covnex lens?
- 20. How spontaneous emission is different from stimulated emission? Explain.
- 21. What is a half wave plate?
- 22. Briefly explain optical activity.
- Explain acceptance angle and critical angel for optical fibers.
- 24. State the advantages of optical fiber communication.

 $(5 \times 1 = 5)$

Part C

Answer four questions. Short essay / problems-weight 2 each.

25. Newton's rings are formed using a plane convex lens and a plane glass plate. The radius of a particular ring is found to be 2. 1mm. What will be the radius of this ring if a liquid of n = 1.33 is introduced between lens and the glass plate?

E 4402

- 26. In a Michelson interferometer experiment 850 fringes are found crossing the field of view when one of the mirrors is moved through a distance of 0.25 mm. Determine the wavelength of light used.
- Determine the angle of incidence for which light reflected from glass surface is completely polarized.
 Refractive index of air glass interface is 1.5.
- 28. Give an account of Lorentz half shade polarimeter.
- Find the ratio of populations of two states in He- Ne laser that produces light of wavelength 632, 8mm at 27°C.
- Calculate the numerical aperture of an optical fiber cable with a clad index of 1.378 and a core index of 1.546.

 $(4 \times 2 = 8)$

Part D

Answer two questions. Essay-weight 4 each.

- 31. Bring out the diffraction due to a straight edge. Why the bands are not equidistant?
- 32. Describe the electromagnetic theory of double refraction.
- 33. Discuss the various mechanisms of dispersion in optical fibers.

 $(2 \times 4 = 8)$