EC.	177	100	
E	6 1	199	

(Pages: 4)

Reg. No	
Name	

B.Sc. DEGREE (C.B.C.S.S.) EXAMINATION, MARCH 2014

Fourth Semester

Core course - ELECTRICITY AND ELECTRODYNAMICS

(Common for B.Sc. Physics Model I, B.Sc. Physics Model II, B.Sc. Physics – EEM, B.Sc. Physics – Instrumentation)

(2011 Admission onwards)

Time: Three Hours

Maximum Weight: 25

Part A (Objective Type Questions)

Answer all questions.

Weight 1 for each bunch,

Bunch I

Cho	se the mo	st appropriate alternative :		
1.		itically damped growth, the ch aximum value	arge ir	creases in a LCR circuit without any oscillation
	a)	Rapidly.	(b)	Smoothly.
	(e)	Immediately.	(d)	In a very short interval of time.
2.	The pow		conne	cting a across the inductance in an
	(a)	Capacitor.	(b)	Resistor.
	(c)	Diode.	(d)	Transistor.
3.	A vector of field.	problem can be reduced to a	scalar	problem if the is determined instead
	(a)	Charge.	(b)	Potential.
	(c)	Current.	(d)	Resistance.
4.	Ballistic	galvanometer is used to meas	ure	
	(a)	Force.	(b)	Current.
	(0)	Charge	(4)	Canacitance

Bunch II

5.	A movir	ng coil galvanometer can be us	ed as a	BG if:
	(a)	The moment of inertia of moving system is large.		
	(b)	The moment of inertia of moving system is small.		
	(c)	There is no moment of inertia for moving system.		
	(d)	All of these.		
6.	A voltag	e source with infinite internal	resist	ance is considered as ideal constant
	source.		100	
		Voltage.	1,51	Current.
		Both current and voltage.		
7.	The field	l inside the cavity of a conduct	or is _	
	(a)	Static.	(b)	Infinite.
	(c)	Ballistic.	(d)	Zero.
8.	8. The average value of an alternating current becomes during one complete a.c. cycle.			
	(a)	Infinite.	(b)	Less than one.
	(c)	Zero.	(d)	Maximum.
		Bur	nch III	
9.	Ballistic	reduction factor of the galvan	ometer	is known as:
	(a)	Dead beat.	(b)	Ballistic action.
	(c)	Figure of merit.	(d)	None of these.
10.	Which of	f the following has a high inter	rnal res	sistance?
	(a)	A varying source.	(b)	A constant voltage source.
	(e)	A constant current source.	(d)	A varying current source.
11.	Maxwell of light.	's equation predicts the propag	ation o	fthrough free space with the velocity
	476	Matter waves.	(b)	Phonons.
	(c)	EM waves.	(d)	Photons.
12.	Inductor	s used to regulate alternating	curren	t is
	(a)	Choke oil.	(b)	Transformer.
	(c)	Triac.	(d)	Diac.

Bunch IV

13.	At reson	ance the resultant voltage acro	ss the	inductor and capacitor becomes:
	(a)	High.	(b)	Low.
	(e)	Zero.	(d)	None of these.
14.	Gauss d	ivergence theorem is on		
	(a)	Divergence of voltage.	(b)	Charge density.
	(c)	Magnetic field.	(d)	Electric field.
15.	The Poy			flowing out through a closed surface in an
	(a)	Total charge.	(b)	Total magnetic field.
	(e)	Total electric field.	(d)	Total energy.
16.	Which o	f the following increase with fre	equen	cy?
	(a)	Inductive reactance.	(b)	Capacitive reactance.
	(c)	Impedance.	(d)	None of these.
				$(4 \times 1 = 4)$
		Pa Answer any i	rt B	Control of the Contro
		Weight		
17.	Explain	in resonance in LCR circuits.		
		the logarithmic decrement for	a BG?	
		id explain maximum power trai		
	0. What is Laplace equation?			
	1. What is an equi potential surface? Give an example.			
22.	2. State Poynting theorem.			
23.	Write do	own the equation of a plane pol-	arized	one dimensional wave.
24.	What is	meant by Skin effect?		
				$(5 \times 1 = 5)$
		Pa	rt C	
		Answer any f	our q	uestions.

Weight 2 each.

25. With what capacitance of a capacitor in series with a coil of inductance 5 mH and resistance 0.5 ohm will the circuit oscillate with frequency of 1 kHz?

Turn over

- 26. An alternating e.m.f. of 200 V, 50 Hz is applied to a capacitor in series with a 20 V, 5 W lamp. Find the capacitance?
- 27. How can a voltage source be converted into equivalent current source and vice versa?
- 28. Two identical drops are charged to the same potential V. Find the new potential if the two drops coal ease into one drop?
- 29. Calculate the value of Poynting vector at the surface of sun if the power radiated by sun is 3.8×10^{28} Watts while its radius is 7×10^8 m.
- 30. In a plane EM wave, the electric field oscillates with an amplitude 48 Vm⁻¹ and frequency 2 × 10¹⁰ Hz. Find its wavelength and the average energy density in the magnetic field?

 $(4 \times 2 = 8)$

Part D

Answer any two questions.

Weight 4 each.

- Discuss peak value, r.m.s. value and average value of a.c. and obtain relation between them.
 Derive expression for the power in an a.c. circuit.
- State and prove Gauss theorem. Use it to find the electric field due to a charged spherical conductor.
- 33. Obtain expressions for the average energy and momentum of an EM wave.

 $(2 \times 4 = 8)$