

B.Sc. DEGREE (C.B.C.S.S.) EXAMINATION, MAY 2017**Second Semester**

Complementary Course—Mathematics

INTEGRAL CALCULUS AND MATRICES

(Common for B.Sc. Physics, Chemistry, Petrochemicals, Geology, Food Science and Quality Control and Computer Maintenance and Electronics)

[2013 Admission onwards]

Time : Three Hours

Maximum Marks : 80

Part A*Answer all questions.**Each question carries 1 mark.*

1. Find $\int \sin^2 x \, dx$.
2. Evaluate $\int x \cos x \, dx$.
3. State Fundamental theorem of Calculus.
4. Write the formula for the volume of a solid of revolution about y-axis.
5. Define a smooth function.
6. Write the formula for calculating the area of a closed bounded region in polar co-ordinates.
7. Write the formula for calculating the length of a smooth curve $x = g(y)$ $c \leq y \leq d$.
8. Define rank of a matrix.
9. What is the characteristic equation of a matrix A.
10. State Cayley-Hamilton theorem.

(10 × 1 = 10)

Part B*Answer any eight questions.**Each question carries 2 marks.*

11. Evaluate $\int \frac{2z \, dz}{\sqrt[3]{z^2 + 1}}$.

Turn over

12. Evaluate $\int_{-\pi/3}^{\pi/3} \frac{1 - \cos 2t}{2} dt$.

13. Suppose $\int_1^2 f(x) dx = 5$. Find $\int_1^2 \sqrt{3} f(z) dz$.

14. Find the area of the region enclosed by $x = y^2$ and $x = y + 2$.

15. Find the volume of the solid generated by revolving $y = x^3$, $y = 0$, $x = 2$ about the x -axis.

16. Find the length of the curve $y = (x/2)^{2/3}$ from $x = 0$ to $x = 2$.

17. Evaluate $\int_0^1 \int_2^{1-2x} dy dx$.

18. Find the area of the region R enclosed by the parabola $y = x^2$ and the line $y = x$.

19. Evaluate $\int_0^1 \int_0^2 \int_0^{1-y} dz dx dy$.

20. If $A = \begin{bmatrix} 1 & 2 \\ -1 & 3 \end{bmatrix}$, find A^2 using Cayley-Hamilton theorem.

21. Find the rank of the matrix $\begin{bmatrix} 1 & 2 & 3 \\ 2 & 3 & 4 \\ 3 & 5 & 7 \end{bmatrix}$.

22. What are the elementary transformations of a matrix.

(8 × 2 = 16)

Part C

Answer any **six** questions.
Each question carries 4 marks.

23. Express the solution of the initial value problem $\frac{dy}{dx} = \sec x$, $y(2) = 3$ in terms of integrals.

24. Find the area of the region between the x -axis and the graph of $y = x^3 - x^2 - 2x$, $-1 \leq x \leq 2$.

25. Find the area of the region in the first quadrant that is bounded above by $y = \sqrt{x}$ and below by the x -axis and the line $y = x - 2$.
26. The region in the first quadrant enclosed by the parabola $y = x^2$, the y -axis and the line $y = 1$ is revolved about the line $x = 3/2$ to generate a solid. Find the volume of the solid.
27. Sketch the region of integration for the integral $\int_0^2 \int_{x^2}^{2x} (4x + 2) dy dx$ and write an equivalent integral with the order of integration reversed.
28. Find the average value of $f(x, y) = \sin(x + y)$ over the rectangle $0 \leq x \leq \pi$, $0 \leq y \leq \pi/2$.
29. Evaluate using polar integrals $\int_0^1 \int_0^{\sqrt{1-y^2}} (x^2 + y^2) dx dy$.
30. Obtain the row equivalent canonical matrix of $\begin{bmatrix} 1 & 1 & 1 & 2 \\ 2 & 1 & -3 & -6 \\ 3 & -3 & 1 & 2 \end{bmatrix}$.
31. Show that if λ is a characteristic root of a non-singular matrix A , then λ^{-1} is a characteristic root of A^{-1} .

(6 × 4 = 24)

Part D

*Answer any two questions.
Each question carries 15 marks.*

32. (a) Evaluate $\iint_R e^{x^2 + y^2} dy dx$ where R is the semicircular region bounded by the x -axis and the curve $y = \sqrt{1 - x^2}$.
- (b) Find the volume of the region D enclosed by the surfaces $z = x^2 + 3y^2$ and $z = 8 - x^2 - y^2$.

Turn over

33. (a) Find the volume of the prism whose base is the triangle in the xy -plane bounded by the x -axis and the lines $y = x$ and $x = 1$ and whose top lies in the plane $z = f(x, y) = 3 - x - y$.

(b) Evaluate $\int_0^2 \int_x^2 2y^2 \sin xy \, dy \, dx$.

34. (a) Find that area of the surface generated by revolving the curve $y = x^3$, $0 \leq x \leq \frac{1}{2}$ about the x -axis.

- (b) Show that if f is continuous on $[a, b]$, $a \neq b$ and if $\int_a^b f(x) \, dx = 0$, then $f(x) = 0$ atleast once in $[a, b]$.

35. (a) Solve the system of equations :

$$x + y + z + w = 0$$

$$x + y + z - w = 4$$

$$x + y - z + w = -4$$

$$x - y + z + w = 2.$$

- (b) If $A = \begin{bmatrix} 1 & 1 & 2 \\ 3 & 1 & 1 \\ 2 & 3 & 1 \end{bmatrix}$. Find its eigen value and the corresponding eigen vectors.

(2 × 15 = 30)